ELSEVIER

Neuroscience Letters 347 (2003) 205–208

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 347

Aida, K., see Iigo, M., 49
Akai, M., see Kimura, T., 25
Akaike, A., see Yamauchi, T., 155
Amano, T., Matsubayashi, H., Seki, T., Sasa, M., Sakai, N., Repeated administration of methamphetamine causes hypersensitivity of D2 receptor in rat ventral tegmental area, 89
Aoe, T., see Yamamoto, T., 183
Arai, M., see Itokawa, M., 202

Baeza, I., see Giménez, M., 97
Bélanger-Gravel, A., see Blouin, J.-S., 1
Berezińska, M.s., see Zawilska, J.B., 37
Berggård, C., Damberg, M., Longato-Stadler, E., Hallman, J., Oreland, L., Garpenstrand, H., The serotonin 2A −1438 G/A receptor polymorphism in a group of Swedish male criminals, 196
Bernardo, M., see Giménez, M., 97
Biesiada, H., see Biswas, S., 33
Biswas, S., Biesiada, H., Williams, T.D., LeVine, S.M., Substrate reduction intervention by L-cycloserine in twitcher mice (globoid cell leukodystrophy) on a B6;CAST/Ei background, 33
Bleich, S., see Maler, J.M., 85
Blouin, J.-S., Descarreaux, M., Bélanger-Gravel, A., Simoneau, M., Teasdale, N., Self-initiating a seated perturbation modifies the neck postural responses in humans, 1
Bodard, S., see Cantagrel, S., 106
Branco, L.G.S., see Gargaglioni, L.H., 121
Braus, D.F., see Schmitt, A., 81
Buchner, H., see Waberski, T.D., 151
Bungo, T., see Takagi, T., 93
Burgunder, J.-M., see Fritschi, J.A., 45
Byers, D.M., see Murphy, A., 9

Caldera, M., see Di Mauro, M., 101
Cantagrel, S., Krier, C., Ducrocq, S., Bodard, S., Payen, V., Laugier, J., Guilloteau, D., Chalon, S., Hypoxic preconditioning reduces apoptosis in a rat model of immature brain hypoxia-ischaemia, 106
Carstens, E., see Nojima, H., 62
Carstens, M.I., see Nojima, H., 62
Chalon, S., see Cantagrel, S., 106
Chandran, V.R., see Tan, E.-K., 139
Cheatham, M.A., see Zheng, J., 13
Cheng, J.-T., Kuo, D.-Y., Both α1-adrenergic and D_1-dopaminergic neurotransmissions are involved in phenylpropanolamine-mediated feeding suppression in mice, 136
Chiba, T., see Yamamoto, T., 183
Cho, S., see Jang, M.-H., 5
Chung, H., see Tan, E.-K., 139
Ciappa, A., see Clark, L.N., 17
Ciranna, L., see Di Mauro, M., 101
Clark, L.N., Levy, G., Tang, M.-X., Mejia-Santana, H., Ciappa, A., Tycko, B., Cote, L.J., Louis, E.D., Mayeux, R., Marder, K., The *Saitohin* 'Q7R' polymorphism and tau haplotype in multi-ethnic Alzheimer disease and Parkinson's disease cohorts, 17
Coimbra, N.C., see Gargaglioni, L.H., 121
Cook, H.W., see Murphy, A., 9
Cordes, C., see Waberski, T.D., 151
Cote, L.J., see Clark, L.N., 17
Crispino, M., see Eyman, M., 21

Damberg, M., see Berggård, C., 196
Deary, I.J., see Visscher, P.M., 175
Denbow, D.M., see Takagi, T., 93
Descarreaux, M., see Blouin, J.-S., 1
Di Mauro, M., Fretto, G., Caldera, M., Li Volsi, G., Licata, F., Ciranna, L., Santangelo, F., Noradrenaline and 5-hydroxytryptamine in cerebellar nuclei of the rat: functional effects on neuronal firing, 101
Dijkstra, C.D., see Teunissen, C.E., 159
Dishman, R.K., see Motl, R.W., 69
Dobbin, R., see Whiteside, S.P., 29
Doraiswamy, P.M., see Oliveira, S.A., 143
Ducrocq, S., see Cantagrel, S., 106

Eyman, M., Crispino, M., Kaplan, B.B., Giuditta, A., Squid photoreceptor terminals synthesize calexcitin, a learning related protein, 21

Fiano, V., Ghimenti, C., Schiffer, D., Expression of cyclins, cyclin-dependent kinases and cyclin-dependent kinase inhibitors in oligodendrogliomas in humans, 111
Fretto, G., see Di Mauro, M., 101
Fritschi, J.A., Lauterburg, T., Burgunder, J.-M., Expression of neurotransmitter genes in motor regions of the dyskinetic rat after iminodipropionitrile, 45
Fujimura, H., see Kimura, T., 191
Fukuyama, H., see Hanakawa, T., 199
Furukawa, A., see Itokawa, M., 202
Furukawa, K., see Iigo, M., 49
Furuse, M., see Takagi, T., 93

Gargaglioni, L.H., Coimbra, N.C., Branco, L.G.S., The nucleus raphe magnus modulates hypoxia-induced hyperventilation but not anapyrexia in rats, 121
Garpenstrand, H., see Berggård, C., 196
Geis, C., see Schäfers, M., 179
Ghimenti, C., see Fiano, V., 111
Gilbert, J.R., see Oliveira, S.A., 143
Giménez, M., Junqué, C., Pérez, M., Vendrell, P., Baeza, I., Salamero, M.,

doi:10.1016/S0304-3940(03)00812-7

Mercader, J.M., Bernardo, M., Basal ganglia *N*-acetylaspartate correlates with the performance in the procedural task 'Tower of Hanoi' of neuroleptic-naive schizophrenic patients, 97
Giuditta, A., see Eyman, M., 21
Gobbelé, R., see Waberski, T.D., 151
Guilloteau, D., see Cantagrel, S., 106

Haga, S., see Itokawa, M., 202
Haines, J.L., see Oliveira, S.A., 143
Hallman, J., see Berggård, C., 196
Hanakawa, T., Honda, M., Okada, T., Fukuyama, H., Shibasaki, H., Differential activity in the premotor cortex subdivisions in humans during mental calculation and verbal rehearsal tasks: a functional magnetic resonance imaging study, 199
Hansen, T.v.O., Rehfeld, J.F., Nielsen, F.C., KCl potentiates forskolin-induced PC12 cell neurite outgrowth via protein kinase A and extracellular signal-regulated kinase signaling pathways, 57
Hatoya, S., Torii, R., Kumagai, D., Sugiura, K., Kawate, N., Tamada, H., Sawada, T., Inaba, T., Expression of estrogen receptor α and β genes in the mediobasal hypothalamus, pituitary and ovary during the canine estrous cycle, 131
Hayward, C., see Visscher, P.M., 175
Henn, F.A., see Schmitt, A., 81
Henry, L., see Whiteside, S.P., 29
Honda, M., see Hanakawa, T., 199
Honda, Y., see Yamauchi, T., 155
Hoogervorst, E.L.J., see Teunissen, C.E., 159
Horie, T., see Inada, K., 167
Hoshi, H., Sato, M., Oguri, M., Ohtsuka, T., In vivo nitric oxide concentration in the vitreous of rat eye, 187
Hüther, G., see Maler, J.M., 85

Ichikawa, T., Kamimoto, S., Heteronomous rhythmic activity of neurosecretory cells in the silkmoth, 73
Iigo, M., Furukawa, K., Tabata, M., Aida, K., Circadian variations of melatonin binding sites in the goldfish brain, 49
Ikeda, K., see Itokawa, M., 202
Inaba, T., see Hatoya, S., 131
Inada, K., Horie, T., Kusakabe, T., Tsuda, M., Targeted knockdown of an opsin gene inhibits the swimming behaviour photoresponse of ascidian larvae, 167
Ino, H., see Yamamoto, T., 77
Ishida, N., see Ochi, M., 163
Itokawa, M., Arai, M., Kato, S., Ogata, Y., Furukawa, A., Haga, S., Ujike, H., Sora, I., Ikeda, K., Yoshikawa, T., Association between a novel polymorphism in the promoter region of the neuropeptide Y gene and schizophrenia in humans, 202

Jang, M.-H., Shin, M.-C., Lee, T.-H., Lim, B.-V., Shin, M.-S., Min, B.-I., Kim, H., Cho, S., Kim, E.-H., Kim, C.-J., Acupuncture suppresses ischemia-induced increase in c-Fos expression and apoptosis in the hippocampal CA1 region in gerbils, 5
Junqué, C., see Giménez, M., 97

Kakigi, R., see Lam, K., 41
Kamimoto, S., see Ichikawa, T., 73
Kaneoke, Y., see Lam, K., 41
Kaplan, B.B., see Eyman, M., 21
Kashii, S., see Yamauchi, T., 155
Kato, S., see Itokawa, M., 202
Kawate, N., see Hatoya, S., 131
Kawohl, W., see Waberski, T.D., 151
Kim, C.-J., see Jang, M.-H., 5
Kim, E.-H., see Jang, M.-H., 5
Kim, H., see Jang, M.-H., 5
Kimura, T., Nozaki, D., Nakazawa, K., Akai, M., Ohtsuki, T., Gradual increment/decrement of isometric force modulates soleus stretch reflex response in humans, 25
Kimura, T., Takahashi, M.P., Fujimura, H., Sakoda, S., Expression and distribution of a small-conductance calcium-activated potassium channel (SK3) protein in skeletal muscles from myotonic muscular dystrophy patients and congenital myotonic mice, 191
Knowles, B.D., see Motl, R.W., 69
Kobayashi, H., see Ochi, M., 163
Koh, J.-Y., see Yi, J.-S., 126
Kondo, K., see Yamasoba, T., 171
Kornhuber, J., see Maler, J.M., 85
Krier, C., see Cantagrel, S., 106
Kumagai, D., see Hatoya, S., 131
Kuo, D.-Y., see Cheng, J.-T., 136
Kusakabe, T., see Inada, K., 167

Lagercrantz, H., see Shvarev, Y.N., 53
Lam, K., Kaneoke, Y., Kakigi, R., Human cortical response to incoherent motion on a background of coherent motion, 41
Laugier, J., see Cantagrel, S., 106
Lauterburg, T., see Fritschi, J.A., 45
Lee, S.-K., see Yi, J.-S., 126
Lee, T.-H., see Jang, M.-H., 5
LeVine, S.M., see Biswas, S., 33
Levy, G., see Clark, L.N., 17
Li Volsi, G., see Di Mauro, M., 101
Licata, F., see Di Mauro, M., 101
Lim, B.-V., see Jang, M.-H., 5
Longato-Stadler, E., see Berggård, C., 196
Louis, E.D., see Clark, L.N., 17
Lütjohann, D., see Teunissen, C.E., 159

Maler, J.M., Seifert, W., Hüther, G., Wiltfang, J., Rüther, E., Kornhuber, J., Bleich, S., Homocysteine induces cell death of rat astrocytes in vitro, 85
Marder, K., see Clark, L.N., 17
Martin, E.R., see Oliveira, S.A., 143
Matsubayashi, H., see Amano, T., 89
May, B., see Schmitt, A., 81
Mayeux, R., see Clark, L.N., 17
Maynard, K.I., see Sarhan, S., 147
McMaster, C.R., see Murphy, A., 9
Mejia-Santana, H., see Clark, L.N., 17
Mercader, J.M., see Giménez, M., 97
Meulemans, A., Modulation of NA-synthase activity in rat cortex using NA measurement with ultramicro carbon electrode following topical applications of pharmacological agents, 116
Min, B.-I., see Jang, M.-H., 5
Miyajima, C., see Yamasoba, T., 171
Morita, Y., see Ochi, M., 163
Motl, R.W., Knowles, B.D., Dishman, R.K., Acute bouts of active and passive leg cycling attenuate the amplitude of the soleus H-reflex in humans, 69
Murphy, A., Sunohara, J.R., Sundaram, M., Ridgway, N.D., McMaster, C.R., Cook, H.W., Byers, D.M., Induction of protein kinase C substrates,

Myristoylated alanine-rich C kinase substrate (MARCKS) and MARCKS-related protein (MRP), by amyloid β-protein in mouse BV-2 microglial cells, 9

Nakamura, T., see Saito, J., 65
Nakazawa, K., see Kimura, T., 25
Nicodemus, K.K., see Oliveira, S.A., 143
Nielsen, F.C., see Hansen, T.v.O., 57
Nojima, H., Carstens, M.I., Carstens, E., *c-fos* expression in superficial dorsal horn of cervical spinal cord associated with spontaneous scratching in rats with dry skin, 62
Nowak, J.Z., see Zawilska, J.B., 37
Nozaki, D., see Kimura, T., 25

Ochi, M., Sono, S., Sei, H., Oishi, K., Kobayashi, H., Morita, Y., Ishida, N., Sex difference in circadian period of body temperature in *Clock* mutant mice with Jcl/ICR background, 163
Ogata, Y., see Itokawa, M., 202
Oguri, M., see Hoshi, H., 187
Ohnishi, H., see Saito, J., 65
Ohtori, S., see Yamamoto, T., 77
Ohtsuka, T., see Hoshi, H., 187
Ohtsuki, T., see Kimura, T., 25
Oishi, K., see Ochi, M., 163
Okada, T., see Hanakawa, T., 199
Oliveira, S.A., Martin, E.R., Scott, W.K., Nicodemus, K.K., Small, G.W., Schmechel, D.E., Doraiswamy, P.M., Roses, A.D., Saunders, A.M., Gilbert, J.R., Haines, J.L., Vance, J.M., Pericak-Vance, M.A., The Q7R Saitohin gene polymorphism is not associated with Alzheimer disease, 143
Oreland, L., see Berggård, C., 196
Ozaki, Y., see Saito, J., 65

Pattie, A., see Visscher, P.M., 175
Pavanni, R., see Tan, E.-K., 139
Payen, V., see Cantagrel, S., 106
Pérez, M., see Giménez, M., 97
Pericak-Vance, M.A., see Oliveira, S.A., 143
Petroianu, G., see Schmitt, A., 81
Polman, C.H., see Teunissen, C.E., 159

Rehfeld, J.F., see Hansen, T.v.O., 57
Richter, C.-P., see Zheng, J., 13
Ridgway, N.D., see Murphy, A., 9
Roses, A.D., see Oliveira, S.A., 143
Rosiak, J., see Zawilska, J.B., 37
Rüther, E., see Maler, J.M., 85

Saito, E.-S., see Takagi, T., 93
Saito, J., Ozaki, Y., Ohnishi, H., Nakamura, T., Ueta, Y., Osmotic stimuli increase brain-derived neurotrophic factor mRNA level in the rat subfornical organ, 65
Saito, O., see Yamamoto, T., 183
Saito, O., see Yamamoto, T., 77
Saito, S., see Takagi, T., 93
Sakai, N., see Amano, T., 89
Sakoda, S., see Kimura, T., 191
Salamero, M., see Giménez, M., 97
Santangelo, F., see Di Mauro, M., 101
Sarhan, S., Wettstein, J.G., Maynard, K.I., Delayed treatment with 5-nitro-6,7-dichloro-1,4-dihydro-2,3-quinoxalinedione, a glycine site *N*-methyl-D-aspartate antagonist, protects against permanent middle cerebral artery occlusion in male rats, 147
Sasa, M., see Amano, T., 89
Sato, M., see Hoshi, H., 187
Sato, T.-A., see Yi, J.-S., 126
Saunders, A.M., see Oliveira, S.A., 143
Sawada, T., see Hatoya, S., 131
Schäfers, M., Sorkin, L.S., Geis, C., Shubayev, V.I., Spinal nerve ligation induces transient upregulation of tumor necrosis factor receptors 1 and 2 in injured and adjacent uninjured dorsal root ganglia in the rat, 179
Schiffer, D., see Fiano, V., 111
Schmechel, D.E., see Oliveira, S.A., 143
Schmitt, A., Zink, M., Petroianu, G., May, B., Braus, D.F., Henn, F.A., Decreased gene expression of glial and neuronal glutamate transporters after chronic antipsychotic treatment in rat brain, 81
Scott, W.K., see Oliveira, S.A., 143
Sei, H., see Ochi, M., 163
Seifert, W., see Maler, J.M., 85
Seki, T., see Amano, T., 89
Shen, H., see Tan, E.-K., 139
Shibasaki, H., see Hanakawa, T., 199
Shin, M.-C., see Jang, M.-H., 5
Shin, M.-S., see Jang, M.-H., 5
Shono, K., see Yamamoto, T., 183
Shono, K., see Yamamoto, T., 77
Shubayev, V.I., see Schäfers, M., 179
Shvarev, Y.N., Lagercrantz, H., Yamamoto, Y., Two types of rhythm in the respiratory network output in the isolated ventrolateral medulla in the neonatal rats, 53
Simoneau, M., see Blouin, J.-S., 1
Small, G.W., see Oliveira, S.A., 143
Sono, S., see Ochi, M., 163
Sora, I., see Itokawa, M., 202
Sorkin, L.S., see Schäfers, M., 179
Starr, J.M., see Visscher, P.M., 175
Sugiura, K., see Hatoya, S., 131
Sundaram, M., see Murphy, A., 9
Sunohara, J.R., see Murphy, A., 9
Suzuki, M., see Yamasoba, T., 171

Tabata, M., see Iigo, M., 49
Tachibana, T., see Takagi, T., 93
Takagi, T., Tachibana, T., Saito, E.-S., Tomonaga, S., Saito, S., Bungo, T., Denbow, D.M., Furuse, M., Central pipecolic acid increases food intake under ad libitum feeding conditions in the neonatal chick, 93
Takahashi, M.P., see Kimura, T., 191
Tamada, H., see Hatoya, S., 131
Tan, C., see Tan, E.-K., 139
Tan, E.-K., Chung, H., Zhao, Y., Shen, H., Chandran, V.R., Tan, C., Teoh, M.-l., Yih, Y., Pavanni, R., Wong, M.-C., Genetic analysis of Nurr1 haplotypes in Parkinson's disease, 139
Tang, M.-X., see Clark, L.N., 17
Teasdale, N., see Blouin, J.-S., 1
Teoh, M.-l., see Tan, E.-K., 139
Teunissen, C.E., Dijkstra, C.D., Polman, C.H., Hoogervorst, E.L.J., von Bergmann, K., Lütjohann, D., Decreased levels of the brain specific 24S-hydroxycholesterol and cholesterol precursors in serum of multiple sclerosis patients, 159
Tomonaga, S., see Takagi, T., 93

Torii, R., see Hatoya, S., 131
Tsuda, M., see Inada, K., 167
Tycko, B., see Clark, L.N., 17
Tynan, M., see Visscher, P.M., 175

Ueta, Y., see Saito, J., 65
Ujihara, H., see Yamauchi, T., 155
Ujike, H., see Itokawa, M., 202

Vance, J.M., see Oliveira, S.A., 143
Vendrell, P., see Giménez, M., 97
Visscher, P.M., Tynan, M., Whiteman, M.C., Pattie, A., White, I., Hayward, C., Wright, A.F., Starr, J.M., Whalley, L.J., Deary, I.J., Lack of association between polymorphisms in angiotensin-converting-enzyme and methylenetetrahydrofolate reductase genes and normal cognitive ageing in humans, 175
Vivien-Roels, B., see Zawilska, J.B., 37
von Bergmann, K., see Teunissen, C.E., 159

Waberski, T.D., Gobbelé, R., Kawohl, W., Cordes, C., Buchner, H., Immediate cortical reorganization after local anesthetic block of the thumb: source localization of somatosensory evoked potentials in human subjects, 151
Wettstein, J.G., see Sarhan, S., 147
Whalley, L.J., see Visscher, P.M., 175
White, I., see Visscher, P.M., 175
Whiteman, M.C., see Visscher, P.M., 175
Whiteside, S.P., Dobbin, R., Henry, L., Patterns of variability in voice onset time: a developmental study of motor speech skills in humans, 29
Williams, T.D., see Biswas, S., 33
Wiltfang, J., see Maler, J.M., 85
Wong, M.-C., see Tan, E.-K., 139
Wright, A.F., see Visscher, P.M., 175

Yamamoto, T., Saito, O., Shono, K., Aoe, T., Chiba, T., Anti-mechanical allodynic effect of intrathecal and intracerebroventricular injection of orexin-A in the rat neuropathic pain model, 183
Yamamoto, T., Saito, O., Shono, K., Ohtori, S., Ino, H., Analgesic effect of intrathecally administered matrix metalloproteinase 2 (MMP-2) in the rat formalin test, 77
Yamamoto, Y., see Shvarev, Y.N., 53
Yamasoba, T., Kondo, K., Miyajima, C., Suzuki, M., Changes in cell proliferation in rat and guinea pig cochlea after aminoglycoside-induced damage, 171
Yamauchi, T., Kashii, S., Yasuyoshi, H., Zhang, S., Honda, Y., Ujihara, H., Akaike, A., Inhibition of glutamate-induced nitric oxide synthase activation by dopamine in cultured rat retinal neurons, 155
Yasuyoshi, H., see Yamauchi, T., 155
Yi, J.-S., Lee, S.-K., Sato, T.-A., Koh, J.-Y., Co-induction of $p75^{NTR}$ and the associated death executor NADE in degenerating hippocampal neurons after kainate-induced seizures in the rat, 126
Yih, Y., see Tan, E.-K., 139
Yoshikawa, T., see Itokawa, M., 202

Zawilska, J.B., Berezińska, M.s., Rosiak, J., Vivien-Roels, B., Nowak, J.Z., The relationship between melatonin and dopamine rhythms in the duck retina, 37
Zhang, S., see Yamauchi, T., 155
Zhao, Y., see Tan, E.-K., 139
Zheng, J., Richter, C.-P., Cheatham, M.A., Prestin expression in the cochlea of the reeler mouse, 13
Zink, M., see Schmitt, A., 81